

## IN THE SPECIFICATION

Page 1, in the heading, please cancel "WO 2004/050781...Description".

Page 1, before the first line of text, please insert:

--This is a 371 of PCT/EP2003/012543 filed 11 November 2003 (international filing date).--

Page 1, line 15, please insert:

--Background of the invention--

Page 2, line 35, please insert:

--Summary of the invention--

Page 3, line 30, please insert:

--Detailed description--

Paragraph beginning on page 17, line 36 (amended):

Particularly preferred examples of component **G D** are acrylated photoinitiators, such as benzoin acrylate or acrylated benzophenone, for example, Hydroxyethyl methacrylate, hydroxypropyl methacrylate, acrylic acid, methacrylic acid, allyl alcohol, maleic anhydride, itaconic anhydride, itaconic acid, acrylamide and glyceridyl methacrylate, this enumeration not being exhaustive.

Paragraph beginning on page 21, line 8 (amended):

Greater preference is acquired by controlled regulators for the polymerization of compounds of the following type:

- 2,2,5,5-tetramethyl-1-pyrrolidinyloxy (PROXYL), 3-carbamoyl-PROXYL, 2,2-dimethyl-4,5-cyclohexyl-PROXYL, 3-oxo-PROXYL, 3-hydroxyimine-PROXYL, 3-aminomethyl-PROXYL, 3-methoxy-PROXYL, 3-t-butyl-PROXYL, 3,4-di-t-butyl-PROXYL
- 2,2,6,6-tetramethyl-1-piperidinyloxy ~~pyrrolidinyloxy~~ (TEMPO), 4-benzoyloxy-TEMPO, 4-methoxy-TEMPO, 4-chloro-TEMPO, 4-hydroxy-TEMPO, 4-oxo-TEMPO, 4-amino-TEMPO, 2,2,6,6-tetraethyl-1-piperidinyloxy, 2,2,6-trimethyl-6-ethyl-1-piperidinyloxy
- N-tert-butyl 1-phenyl-2-methylpropyl nitroxide
- N-tert-butyl 1-(2-naphthyl)-2-methylpropyl nitroxide
- N-tert-butyl 1-diethylphosphono-2,2-dimethylpropyl nitroxide
- N-tert-butyl 1-dibenzylphosphono-2,2-dimethylpropyl nitroxide
- N-(1-phenyl-2-methylpropyl) 1-diethylphosphono-1-methylethyl nitroxide
- di-t-butyl nitroxide
- diphenyl nitroxide
- t-butyl t-amyl nitroxide

Page 28, line 4, please insert:

--Brief description of the drawings

Fig. 1 illustrates a pad of pressure sensitive adhesive articles of the invention, having support sheets, a primer and a pressure-sensitive adhesive.

Fig. 2 illustrates a pad of pressure sensitive adhesive articles of the invention, having support sheets, with pressure-sensitive adhesive applied on one side and a release material on the opposite side.

Fig. 3 illustrates a pad of pressure sensitive adhesive articles of the invention, having support sheets with pressure-sensitive adhesive applied directly to the support sheet.--

Page 35, please cancel the heading "WO 2004/050781 . . . Claims", and substitute

--We claim:--